

# LUPRON DEPOT-PED<sup>®</sup>

(leuprolide acetate for depot suspension)

## Use and Important Safety Information

### Use for LUPRON DEPOT-PED<sup>®</sup> (leuprolide acetate for depot suspension)

LUPRON DEPOT-PED 7.5 mg, 11.25 mg, and 15 mg for 1-month and 11.25 mg and 30 mg for 3-month administration are prescribed for the treatment of children with central precocious puberty (CPP). LUPRON DEPOT-PED is not for children under 2 years of age.

Doctors may diagnose children with CPP when signs of sexual maturity begin to develop in girls under the age of 8 or boys under the age of 9. Your doctor should perform tests to rule out possible causes of early puberty that would require different treatment (e.g., tumors).

### Important Safety Information for LUPRON DEPOT-PED

Your child should not receive any formulation of LUPRON DEPOT-PED if he/she has experienced any type of allergic reaction to LUPRON DEPOT-PED or any of its ingredients.

Your child should not receive LUPRON DEPOT-PED if she is or becomes pregnant. LUPRON DEPOT-PED can cause birth defects or loss of the baby. If your child becomes pregnant, call your doctor.

During the first few weeks of treatment, signs of puberty, such as vaginal bleeding, may occur.

**Call your child's doctor if signs/symptoms of puberty continue beyond the second month of treatment.**

Some people taking gonadotropin-releasing hormone (GnRH) agonists like LUPRON DEPOT-PED have had new or worsened mental (psychiatric) problems. Mental (psychiatric) problems may include emotional symptoms such as crying, irritability, restlessness (impatience), anger, and acting aggressive. **Call your child's doctor right away if your child has any new or worsened mental symptoms or problems while taking LUPRON DEPOT-PED.**

Some people taking GnRH agonists like LUPRON DEPOT-PED have had seizures. The risk of seizures may be higher in people who have a history of seizures, epilepsy, brain or brain vessel (cerebrovascular) problems or tumors, or in people who are taking a medicine that has been connected to seizures, such as bupropion or selective serotonin reuptake inhibitors (SSRIs). Seizures have also happened in people who have not had any of these problems. **Call your child's doctor right away if your child has a seizure while taking LUPRON DEPOT-PED.**

Before your child receives LUPRON DEPOT-PED, tell your doctor about:

- All of your child's medical conditions, including if they have any of the conditions listed above, or are breastfeeding or plan to breastfeed.
- All the medicines your child takes, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

It is important that you keep your child's doctor appointments and follow the prescribed injection schedule. Your child may start having signs of puberty again if injections are missed. The doctor will do regular exams and blood tests to check for signs of puberty.

The most common side effects with **LUPRON DEPOT-PED received 1 time each month** include:

injection site reactions such as pain, swelling, and abscess; weight gain; pain throughout the body; headache; acne or red, itchy rash and white scales (seborrhea); serious skin rash (erythema multiforme); mood changes; and swelling of the vagina (vaginitis), vaginal bleeding, and vaginal discharge. The most common side effects of **LUPRON DEPOT-PED received every 3 months** include: injection site pain, weight gain, headache, mood changes, and injection site swelling.

LUPRON DEPOT-PED must be administered under the supervision of a physician.

**This is the most important information to know about LUPRON DEPOT-PED. For more information, talk to your child's doctor or healthcare provider.**

## If your pharmacist is unable to provide these instant savings, you can still take advantage of this offer:

- Complete this form or submit online at [LupronPed.PatientSavings.com](http://LupronPed.PatientSavings.com).
- Circle the product, date, and amount you paid on the original pharmacy receipt(s) for LUPRON DEPOT-PED.
- Mail this form, pharmacy receipt, proof of payment, and a copy of your Instant Savings Card—with the group and member numbers readable—to: LUPRON DEPOT-PED Rebate Offer, PO Box 4581, Warren, NJ 07059-0581.

In 10 to 14 days, you will receive a check for up to \$250 off your 1-month prescription or \$1,000 off your 3-month prescription for LUPRON DEPOT-PED.

Name		
Address		
City	State	ZIP Code
Phone		
Savings Card RxGroup		
Savings Card RxID		

Enclose the following required materials to receive rebate:

- Completed rebate form
- Original pharmacy receipt and proof of purchase
- Copy of LUPRON DEPOT-PED Instant Savings Card

AbbVie Inc. respects your privacy and is committed to maintaining and protecting the confidentiality of the information you share with us.

I want AbbVie Inc. to use the information on this form to send a rebate for my LUPRON DEPOT-PED prescription. I also agree that by submitting this form AbbVie Inc. and companies acting on their behalf may use the information I provided on this form to send me future information.

By submitting this card (and signing below if I am a CA or TX resident), I agree that: **(1)** the information I've provided will be used only by LUPRON DEPOT-PED and its contracted third parties to mail (and email) me helpful information on LUPRON DEPOT-PED and related treatments, products and services, and for marketing and informational purposes, **(2)** AbbVie will not sell or transfer my name or contact information to any third party for its marketing use, **(3)** I may be removed from LUPRON DEPOT-PED's mailing list or request a copy of this information by contacting 877-832-9755, and **(4)** if I am a CA resident, this consent shall remain valid for five years from the date of the signature below.

Signature	Date
-----------	------

To learn more about LUPRON DEPOT-PED, talk to your doctor.

Please visit [www.rxabbvie.com/pdf/lupronpediatric.pdf](http://www.rxabbvie.com/pdf/lupronpediatric.pdf) for full Prescribing Information.